



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

**Note:** This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · [0 Comments](#)

2021/08/20 03:18 · prokushev · [0 Comments](#)

# MouGetNumButtons

This call returns the number of buttons supported on the installed mouse driver.

## Syntax

```
MouGetNumButtons (NumberOfButtons, DeviceHandle)
```

## Parameters

- NumberOfButtons (USHORT) - output : Address of the number of physical buttons. The return values for the number of buttons supported are:
  - 1 - One mouse button
  - 2 - Two mouse buttons
  - 3 - Three mouse buttons.
- DeviceHandle (HMOU) - input : Handle of the mouse device from a previous MouOpen.

## Return Code

rc (USHORT) - return:Return code descriptions are:

- 385 ERROR\_MOUSE\_NO\_DEVICE
- 466 ERROR\_MOU\_DETACHED
- 501 ERROR\_MOUSE\_NO\_CONSOLE
- 505 ERROR\_MOU\_EXTENDED\_SG

## Bindings

C

```
#define INCL_MOU
```

```
USHORT rc = MouGetNumButtons(NumberOfButtons, DeviceHandle);

PUSHORT NumberOfButtons; /* Number of mouse buttons */
HMOU DeviceHandle; /* Mouse device handle */

USHORT rc; /* return code */
```

## MASM

```
EXTRN MouGetNumButtons:FAR
INCL_MOU EQU 1

PUSH@ WORD NumberOfButtons ;Number of mouse buttons
PUSH WORD DeviceHandle ;Mouse device handle
CALL MouGetNumButtons

Returns WORD
```

## Example

```
HMOU DeviceHandle;
...
MouOpen(0L, &DeviceHandle);
MouGetNumButtons(&NumberOfButtons, DeviceHandle);
```

From:  
<http://www.osfree.su/doku/> - osFree wiki

Permanent link:  
<http://www.osfree.su/doku/doku.php?id=en:docs:fapi:mougetnumbuttons&rev=1636023529>

Last update: **2021/11/04 10:58**

